VOLUME 80 • AUTHOR INDEX

Acar P *et al.* Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
Achenbach K *see* Dalekos GN *et al*
Adams D *see* Carpenter K and Adams D
Adams JN *et al.* Coronary artery spasm leading to life threatening arrhythmias, **89**
Adams R *see* Chamuleau SAJ *et al*
Adgey AAJ. Adrenaline dosage and buffers in cardiac arrest, **412**
Adgey AAJ, Johnston PW. Approaches to modern management of cardiac arrest, **397**
Aggoun Y *see* Acar P *et al*
Ahya R *et al.* Transfusion associated graft versus host disease in an immunocompetent individual following coronary artery bypass grafting, **299**
Aizawa Y *see* Kodama M and Aizawa Y
Akimoto K *see* Ino T *et al*
Akioka K *see* Yamagishi H *et al*
Alamgir MF *see* Chakraborty RN *et al*
Al-Mohammad A *et al.* Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles, **559**
Anderson D *see* Rosenthal E and Anderson D
Andrews R *see* Staniforth AD *et al*
Andrle V *see* Šulc J *et al*
Anthopoulos L *see* Kranidis A *et al*
Antoniadis A *see* Kyriakides ZS *et al*
Aotsuka H *see* Okajima Y *et al*
Arbustini E *et al.* Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**
Archbold RA, Timmis AD. Cholesterol lowering and coronary artery disease: mechanisms of risk reduction: *review*, **543**
Arie S *see* Mann JM *et al*
Armoundas AA *et al.* Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival, **251**
Atalay S *see* Tutar HE *et al*
Augé JM *see* Bayés A *et al*

Baandrup U *see* Thomsen AB *et al*
Bagger JP *see* Thomsen AB *et al*
Baker CSR *see* Mustafa MUA *et al*
Banchieri N *see* Arbustini E *et al*
Banfi P *see* Arbustini E *et al*
Baratella MC *et al.* Idiopathic chylopericardium, **376**
Bassand J-P *see* Meneveau N *et al*
Baumbach A *see* Enderle M-D *et al*
Bayekula M *see* Longo-Mbenza B *et al*
Bayés A *et al.* Coronary stenting for symptomatic myocardial bridging, **102**
Becker AE *see* van der Wal AC *et al*
Beitzke A *see* Gamillscheg A *et al*
Bellini O *see* Arbustini E *et al*
Bello BD *see* Arbustini E *et al*
Bellotti G *see* Gebara OCE *et al*
Bennett DH *see* Jenkins NP and Bennett DH
see Lee HS *et al*
Bernard EJ *see* Hornung TS *et al*
Bernard Y *see* Meneveau N *et al*
Beswick AD *see* Elwood PC *et al*
Bexton RS *see* Gribbin GM *et al*
Bink-Boelkens M *see* Henneveld H *et al*
Birnie D *et al.* Outcomes of transposition of the great arteries in the era of atrial inflow correction, **170**
Blackburn H *see* de Bacquer D *et al*
Blackburn MEC *see* Veldtman G *et al*
Böhm A *et al.* Pacemaker induced torsades de pointes tachycardia, **466**
Bonhoeffer P *see* Acar P *et al*
Bonnet D *see* Acar P *et al*
Boon NA *see* Newby DE *et al*
Bourke JP *et al.* Role of orthotopic heart transplantation in the management of patients with recurrent ventricular tachyarrhythmias following myocardial infarction, **473**
Brawn WJ *see* Stumper O and Brawn WJ
Breton V *see* Meneveau N *et al*
British Cardiac Society *et al.* Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
British Hyperlipidaemia Association *see* British Cardiac Society *et al*
British Hypertension Society *see* British Cardiac Society *et al*
British Society of Echocardiography *see* Cheesman MG *et al*
Broms K *see* Cline CMJ *et al*
Brooks NH *see* Lee HS *et al*
Brown A *see* Cotton JM *et al*
Brown AH *see* Dougenis D and Brown AH
Buck SH *see* Rao PS *et al*
Buller HR *see* Chamuleau SAJ *et al*
Burkart F *see* Hunziker P *et al*
Burrell CJ *see* Nightingale AK *et al*
Buser P *see* Hunziker P *et al*
Butt AY *see* Higenbottam T *et al*

Calver AL *et al.* Intracoronary Multi-link stents: experience in 218 patients using aspirin alone, **499**
Camm AJ *see* Gang Y *et al*
Campana C *see* Arbustini E *et al*
Campbell N *see* Melua A *et al*
Campbell NC *et al.* Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care, **447**
Canepa-Anson R *see* Rao ACR *et al*
see Rao ACR *et al*
Caplin J *see* Pennell DJ *et al*
Carmichael DN *see* O'Keeffe ST *et al*
Carpenter K, Adams D. Apical mural thrombus: technical pitfalls, **S6 (Suppl 1)**
Carvalho JS *see* Li J *et al*
Castillo JA *see* Román JAS *et al*
Celermajer DS *see* Hornung TS *et al*
Celinski M, Lawson CS. "Steam iron" appearance of chronic thoracic aortic dissection on angiography, **590**
Cerisier A *see* Dacosta A *et al*
Chakraborty RN *et al.* Magnetic resonance images of left ventricular pseudoaneurysm, **101**
Chamberlain DA. Antiarrhythmic drugs in resuscitation, **408**
Chambers J *see* Cheesman MG *et al*
see Saltissi S and Chambers J
Chamuleau SAJ *et al.* Low molecular weight heparin as an adjunct to thrombolysis for acute myocardial infarction: the FATIMA study, **35**
Charles RG *see* Clarke KW *et al*
Cheesman MG *et al.* Central role of echocardiography in the diagnosis and assessment of heart failure, **S1 (Suppl 1)**
Chen CH *see* Lai LP *et al*
Chen WJ *see* Lai LP *et al*
Cheng TO. Fax machines for thrombolysis: *letter*, **210**
Cherng W-J *see* Hung M-J *et al*
Chia B-L *see* Lim YT *et al*
Chiba S *see* Tomita H *et al*
Christodoulou D *see* Dalekos GN *et al*
Clarke D *see* Curzen NP *et al*
Clarke KW *et al.* Single chamber atrial pacing: an underused and cost-effective pacing modality in sinus node disease, **387**
Clesham GJ. Gene therapy made difficult: *editorial*, **313**
Cline CMJ *et al.* Cost effective management programme for heart failure reduces hospitalisation, **442**
Coats AJS *see* Webb-Peploe KM *et al*
Cohen RJ *see* Armoundas AA *et al*
Cole T *see* Harcombe AA *et al*
Collinson P. Of bombers, radiologists, and cardiologists: time to ROC: *editorial*, **215**
Collinson PO *see* Rao ACR *et al*
see Rao ACR *et al*
Comi G *see* Arbustini E *et al*
Connaughton M, Webber J. Diabetes and coronary artery disease: time to stop taking the tablets?: *editorial*, **108**
Connelly DT *see* Clarke KW *et al*
Cooper J *see* Pathmanathan RK *et al*
Coote JH *see* Vaile JC *et al*
Cotton JM *et al.* Dual atrial pathology as an incidental finding on thoracic computed tomography and echocardiography, **508**
Cowley AJ *see* Staniforth AD *et al*
Crake T *see* Greaves K and Crake T
Cranston A *see* de Giovanni JV *et al*
Crilley JG *et al.* Reversal of severe pulmonary hypertension with β blockade in a patient with end stage left ventricular failure, **620**
Crook R *see* Gang Y *et al*
Crossman DC *see* Malik N *et al*
Cumberland DC *see* Malik N *et al*
Curzen NP *et al.* Can C reactive protein or troponins T and I predict outcome in patients with intractable unstable angina?, **23**
Curzio J *see* Birnie D *et al*

Dacosta A *et al.* Prevalence of factor V Leiden (APCR) and other inherited thrombophilias in young patients with myocardial infarction and normal coronary arteries, **338**
Dalekos GN *et al.* Idiopathic dilated cardiomyopathy: lack of association with hepatitis C virus infection, **270**
Dalzell GWN. Determinants of successful defibrillation, **405**
Danesino C *see* Arbustini E *et al*
Danser AHJ *see* Holmer SR *et al*

Darius H *see* Kupferwasser I *et al*
Dark J *see* Bourke JP *et al*
Dark JH *see* Crilley JG *et al*
Davies GJ *see* Gorog DA *et al*
Davies MJD. Essential collection: *editorial*, **107**
Davies MK, Hollman A. Stamps in cardiology, **4, 120, 217, 318, 423, 564**
Dawkins KD *see* Calver AL *et al*
Deans HG *see* Campbell NC *et al*
de Backer G *see* de Bacquer D *et al*
de Bacquer D *et al.* Prognostic value of ECG findings for total, cardiovascular disease, and coronary heart disease death in men and women, **570**
de Belder AJ *see* Salas E *et al*
de Boer OJ *see* van der Wal AC *et al*
de Bono DP. Olovnikov's clock: telomeres and vascular biology: *editorial*, **110**
de Bruyne B *see* Pijls NHJ and de Bruyne B
Decousus H *see* Dacosta A *et al*
de Giovanni JV *et al.* Adenosine induced transient cardiac standstill in catheter interventional procedures for congenital heart disease, **330**
del Mar de La Torre M *see* Román JAS *et al*
Densem C *see* Lee HS *et al*
Denver MA *see* Adams JN *et al*
de Winter RJ *see* Chamuleau SAJ *et al*
de Winter RJ *et al.* Coronary atherosclerosis within a myocardial bridge, not a benign condition, **91**
Dhillon R *et al.* Acquired coarctation of the aorta in William's syndrome, **205**
Diegoli M *see* Arbustini E *et al*
Dobran IJ *et al.* Successful radiofrequency catheter ablation of atrial trigeminy in a young patient, **301**
Doi YL *see* Takata J *et al*
Doig W *see* Birnie D *et al*
Donnellan C *see* O'Keeffe ST *et al*
Dougenis D, Brown AH. Long term results of reoperations for recurrent angina with internal mammary artery versus saphenous vein grafts, **9**
Douglas JG *see* Ahya R *et al*

Edgar RA *see* de Giovanni JV *et al*
Eeckhout E *et al.* Endoluminal vessel reconstruction by stent placement in patients with obstructive coronary artery disease who are poor surgical candidates, **355**
Eicken A *see* Rickers C *et al*
Elliott PM *see* Jones S *et al*
Elwood PC *et al.* Platelet aggregation and incident ischaemic heart disease in the Caerphilly cohort, **578**
Emori T *see* Nakayama K *et al*
Enderle M-D *et al.* Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease, **349**
Endo J *see* Nomura M *et al*
Erbel R *see* Kupferwasser I *et al*
Erhardt L. Heart failure clinics: a possible means of improving care: *editorial*, **428**
Erhardt LR *see* Cline CMJ *et al*
Ettles D *see* Walters MI *et al*

Fasani R *see* Arbustini E *et al*
Feenstra J *et al.* Prevention of relapse in patients with congestive heart failure: the role of precipitating factors: *review*, **432**
Ferdinand FD *see* Koh TW *et al*
Fernández-Avilés F *see* Román JAS *et al*
Ferrari R *see* Redwood SR *et al*
Filippatos G *see* Kranidis A *et al*
Finsterer J, Stöllberger C. Hypertrabeculated left ventricle in mitochondriopathy, **632**
Fiorentini C *see* Vergani D *et al*
Flapan AD *see* Newby DE *et al*
Fleisch M *see* Pfister M *et al*
Fletcher J *see* Vaile JC *et al*
Forty J *see* Bourke JP *et al*
Fowler GH *see* Volmink JA *et al*
Fox KAA *see* Newby DE *et al*
Fox KM *see* Curzen NP *et al*
Francart C *see* Godart F *et al*
Francis SE *see* Malik N *et al*
Franklin R *see* Slavik Z and Franklin R
Franzen O *see* Rickers C *et al*
Fraxiparin Anticoagulant Therapy in Myocardial Infarction Study Amsterdam (FATIMA) Study Group *see* Chamuleau SAJ *et al*
Freedman SB, Wong CK. Triggers of daily life ischaemia, **489**
Friedlander Y *see* Sinnreich R *et al*
Fruhwald FM *et al.* Myocardial infarction caused by an aneurysm of the left main coronary artery without evidence of Kawasaki disease: *letter*, **532**
Fujimoto Y *see* Nakayama K *et al*
Fukushima K *see* Nakayama K *et al*
Furniss S *see* Bourke JP *et al*

Fuse S *see* Tomita H *et al*

Galal O *see* Rao PS *et al*
Galiñanes M. In search of a reliable marker of tissue injury during heart surgery: *editorial*, **317**
Gamillscheg A *et al.* Transcatheter coil occlusion of residual interatrial communications after Fontan procedure, **49**
Gammage MD *see* Marshall HJ *et al*
Gang Y *et al.* Computerised measurements of QT dispersion in healthy subjects, **459**
Garachemani A. Heparin for coronary angioplasty: high dose, low dose, or no dose?: *editorial*, **3**
Garan H *see* Armoundas AA *et al*
Garcimartín I *see* Román JAS *et al*
Garratt CJ *see* Pathmanathan RK *et al*
Gavazzi A *see* Arbustini E *et al*
Gebara OCE *et al.* Fibrinolytic potential is significantly increased by oestrogen treatment in postmenopausal women with mild dyslipidaemia, **235**
Gibson DG *see* Koh TW *et al*
see Webb-Peploe KM *et al*
Gil R *see* Kazmierczak J *et al*
Gill AB *see* Skelton R *et al*
Göbel H *see* Pfister M *et al*
Godart F *et al.* Coronary artery fistula, **419**
Goodfield NER *see* Newby DE *et al*
Gorog DA *et al.* Raised factor VIII is associated with coronary thrombotic events, **415**
Goy J-J *see* Eeckhout E *et al*
Grasso M *see* Arbustini E *et al*
Gray HH *see* Calver AL *et al*
Greaves K, Crake T. Cardiac troponin T does not increase after electrical cardioversion for atrial fibrillation or atrial flutter, **226**
Gribbin GM *et al.* Ventricular pacemaker upgrade: experience, complications, and recommendations: *letter*, **420**
Griffith MJ *see* Marshall HJ *et al*
see Pathmanathan RK *et al*
Grobbee DE *see* Feenstra J *et al*
Groenink M *et al.* Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
Group The falling mortality from coronary heart disease: a clinicopathological perspective, **121**
Gunn J *see* Malik N *et al*
Guo X-h *see* Gang Y *et al*
Gupta S *see* Meneveau N *et al*
Guvendik L *see* Walters MI *et al*
Guyotat D *see* Dacosta A *et al*

Haering HU *see* Enderle M-D *et al*
Hager PK *see* Schwarz ER *et al*
Hainsworth R *see* Mtinangi BL and Hainsworth R
Hall JA *see* Crilley JG *et al*
Hamm C *see* Rickers C *et al*
Hanrath P *see* Schwarz ER *et al*
Harcombe AA *et al.* Late complications following permanent pacemaker implantation or elective unit replacement, **240**
Harringer W *see* Pichlmaier AM *et al*
Harrison M *see* Staniforth AD *et al*
Hart AAM *see* Groenink M *et al*
Hasenkam JM *see* Thomsen AB *et al*
Hausdorf G *see* Kaulitz R *et al*
see Thomsen AB *et al*
Haverich A *see* Pichlmaier AM *et al*
Hawker RE *see* Hornung TS *et al*
Haywood GA *see* Calver AL *et al*
Henein MY *see* Webb-Peploe KM *et al*
Hennekam RCM *see* Groenink M *et al*
Henneveld H *et al.* Junctional ectopic tachycardia evolving into complete heart block, **627**
Hense H-W *see* Holmer SR *et al*
Hernández M *see* Román JAS *et al*
Heublein B *see* Pichlmaier AM *et al*
Hicks NR *see* Volmink JA *et al*
Higenbottam T *et al.* Long term intravenous prostaglandin (epoprostenol or iloprost) for treatment of severe pulmonary hypertension, **151**
Hillis G *see* Al-Mohammad A *et al*
Hillis S *see* Houston A *et al*
Hillis WS *see* Birnie D *et al*
Hilton C *see* Bourke JP *et al*
Hnatkova K *see* Gang Y *et al*
Ho YL *see* Lai LP *et al*
Hoes AW *see* Feenstra J *et al*
Hofmann T *see* Rickers C *et al*
Hollman A *see* Davies MK and Hollman A
see Davies MK and Hollman A
see Davies MK and Hollman A
Hollman A *see* Davies MK and Hollman A
Holm M *see* Ingemansson MP *et al*
Holmer SR *et al.* β Adrenergic blockers lower renin in patients treated with ACE inhibitors and diuretics, **45**

Holt CM *see* Malik N *et al*
Hood S *see* Birnie D *et al*
Hooper J *see* Curzen NP *et al*
see Koh TW *et al*
Hori M *see* Morikawa M *et al*
Hornung TS *et al.* Myocardial perfusion defects and associated systemic ventricular dysfunction in congenitally corrected transposition of the great arteries, **322**
Hoshino J *et al.* Ventricular fibrillation triggered by a ruptured sinus of Valsalva aneurysm, **203**
Hosoda Y *see* Ino T *et al*
Houston A *et al.* Echocardiography in adult congenital heart disease, **S12 (Suppl 1)**
Houston A *see* Birnie D *et al*
Houston AB *see* McLeod KA *et al*
Howman-Giles RB *see* Hornung TS *et al*
Ho SY *see* Li J *et al*
Hruda J *see* Šulc J *et al*
Huang SKS *see* Lai LP *et al*
Hučín B *see* Šulc J *et al*
Hug J *see* Rickers C *et al*
Hung M-J *et al.* Unruptured left ventricular pseudoaneurysm following myocardial infarction, **94**
Hunziker P *et al.* Predictors of loss of atrioventricular synchrony in single lead VDD pacing, **390**
Hutter P *see* Henneveld H *et al*

Imamoglu A *see* Tutar HE *et al*
Ingemansson MP *et al.* Autonomic modulation of the atrial cycle length by the head up tilt test: non-invasive evaluation in patients with chronic atrial fibrillation, **71**
Ino T *et al.* Spring coil retraction in coil occlusion of persistent ductus arteriosus, **327**
Isaaz K *see* Dacosta A *et al*
Israelsson BYA *see* Cline CMJ *et al*
Ito S *see* Nomura M *et al*
Iwahara M *see* Ino T *et al*

Jaeggi ET *see* Hornung TS *et al*
Jamieson M *see* Birnie D *et al*
Jansson J-H *et al.* von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
Jenkins NP, Bennett DH. Intermittent complete atrioventricular block associated with typical atrioventricular nodal reentrant tachycardia, **418**
Jennings K *see* Rawles J *et al*
John C *see* Rao ACR *et al*
Johnson O *see* Jansson J-H *et al*
Johnston GD *see* Maguire SM *et al*
Johnston PW *see* Adgey AAJ and Johnston PW
Jolobe OMP. Comparative study of chest pain characteristics in patients with normal and abnormal coronary angiograms: *letter*, **210**
Jones S *et al.* Cardiopulmonary responses to exercise in patients with hypertrophic cardiomyopathy, **60**
Jonkman FAM *see* Feenstra J *et al*
Joseph SP *see* Rao ACR *et al*
see Rao ACR *et al*

Kachaner J *see* Acar P *et al*
Kampmann C *et al.* Transcatheter recanalisation and stenting of a closed ductus arteriosus in duct dependent lung perfusion, **206**
Kappenberger L *see* Eeckhout E *et al*
Kappos K *see* Kranidis A *et al*
Kark JD *see* Sinnreich R *et al*
Karsch KR *see* Enderle M-D *et al*
Kaski JC *see* Mann JM *et al*
Kataoka K *see* Sato Y *et al*
Kaulitz R *et al.* Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
Kawasaki S *see* Ino T *et al*
Kaye GC *see* Walters MI *et al*
Kazmierczak J *et al.* Electrocardiographic changes after alcohol septal ablation in hypertrophic obstructive cardiomyopathy, **257**
Kececioglu D *see* Rickers C *et al*
Kemp M *see* Curzen NP *et al*
see Koh TW *et al*
Kern KB. Public access defibrillation: a review, **402**
Kintoki Vita E *see* Longo-Mbenza B *et al*
Kisly M *see* Kazmierczak J *et al*
Kisslo J. Reconsidering quality, **S27 (Suppl 1)**
Kleber F *see* Rickers C *et al*
Klein W *see* Fruhwald FM *et al*
Klues HG *see* Schwarz ER *et al*
Knight CJ *see* Curzen NP *et al*
Koch KT *see* van der Wal AC *et al*
Kodama M, Aizawa Y. Vanishing tumour, **611**
Koh TW *et al.* Intraoperative release of troponin T in coronary venous and arterial blood and its relation to recovery of left ventricular function and oxidative metabolism following coronary artery surgery, **341**
Kojima S *see* Yoshitomi Y *et al*
Kok WEM *see* de Winter RJ *et al*
Kolettis TM *see* Kyriakides ZS *et al*
Kondo Y *see* Nomura M *et al*
König G *see* Michalsen A *et al*
Koretsune Y *see* Morikawa M *et al*
Kornacewicz-Jach Z *see* Kazmierczak J *et al*
Kornitzer M *see* de Bacquer D *et al*
Kors JA, van Herpen G. Measurement error as a source of QT dispersion: a computerised analysis, **453**
Kranidis A *et al.* Atrioventricular plane displacement during low dose dobutamine infusion predicts recovery of left ventricular dyssynergies: *letter*, **208**
Kremastinos DT *see* Kyriakides ZS *et al*
Kupferwasser I *et al.* Clinical and morphological characteristics in *Streptococcus bovis* endocarditis: a comparison with other causative microorganisms in 177 cases, **276**
Kuramochi M *see* Yoshitomi Y *et al*
Kurotobi T *see* Morikawa M *et al*
Kuzuya T *see* Morikawa M *et al*
Kyriakides ZS *et al.* Coronary flow reserve in the contralateral artery increases after successful coronary angioplasty in patients with spontaneously visible collateral vessels, **493**

Laffan M *see* Gorog DA *et al*
Laffan MA. Activated protein C resistance and myocardial infarction: *editorial*, **319**
Lai LP *et al.* New electrocardiographic criteria for the differentiation between counterclockwise and clockwise atrial flutter: correlation with electrophysiological study and radiofrequency catheter ablation, **80**
Laitinen PO, Räsänen J. Measured versus predicted oxygen consumption in children with congenital heart disease, **601**
Lang V *see* Pichlmaier AM *et al*
Langford EJ *see* Salas E *et al*
Lau EW *see* Pathmanathan RK *et al*
Lawson CS *see* Celinski M and Lawson CS
Lee C-N *see* Lim YT *et al*
Lee EM *et al.* Transcatheter closure of a residual postmyocardial infarction ventricular septal defect with the Amplatzer septal occluder, **522**
Lee HS *et al.* Impact of stenting on coronary angioplasty procedures, **505**
Lee YT *see* Lai LP *et al*
Leech G *see* Cheesman MG *et al*
Levi M *see* Chamuleau SAJ *et al*
Levy RD *see* Lee HS *et al*
Li J *et al.* Coronary arterial anatomy in tetralogy of Fallot: morphological and clinical correlations, **174**
Liapi GK *see* Dalekos GN *et al*
Lie KI *see* Chamuleau SAJ *et al*
Lien WP *see* Lai LP *et al*
Lilley S *see* Houston A *et al*
Lim YT *et al.* Fibrosarcoma of the heart, **369**
Lin JL *see* Lai LP *et al*
Lin LJ *see* Lai LP *et al*
Lip GYH *et al.* Coronary spasm in acute myocardial infarction, **197**
Lipinska I *see* Gebara OCE *et al*
Littler WA *see* Vaile JC *et al*
Littmann L. Bifid T waves induced by isoprenaline in a patient with Brugada syndrome: *letter*, **633**
Loaiza A *see* Bourke JP *et al*
Lombardi F *see* Vergani D *et al*
Lombardi F, Mortara A. Heart rate variability and cardiac failure: *editorial*, **213**
Longo-Mbenza B *et al.* Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
Lorgat F *see* Sayer JW *et al*
Ludman PF *see* Harcombe AA *et al*
Luha O *see* Fruhwald FM *et al*
Luria MH *see* Sinnreich R *et al*
Luscher T *see* Pfister M *et al*
Lye M *see* O'Keeffe ST *et al*

McCluskey D *see* Melua A *et al*
McComb JM *see* Gribbin GM *et al*
Macfarlane PW. Measurement of QT dispersion: *editorial*, **421**
MacGowan SW *see* Melua A *et al*
McGurk C *see* Maguire SM *et al*
McKenna WJ *see* Jones S *et al*
McLeod KA *et al.* 1:1 atrioventricular conduction in congenital complete heart block, **525**
McMahon A *see* Higenbottam T *et al*
McMurray JJV, Stewart S. Nurse led, multidisciplinary intervention in chronic heart failure: *editorial*, **430**

Maguire SM *et al.* Abnormal vascular responses in human chronic cardiac failure are both endothelium dependent and endothelium independent, **141**
Mahy IR *see* Al-Mohammad A *et al*
Mahy IR, Walton S. Successful treatment of false aneurysm of a saphenous vein bypass graft with fistula to the anterior chest wall using "covered" intracoronary stents, **527**
Malik M *see* Gang Y *et al*
Malik N *et al.* Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
Mann JM *et al.* Histological patterns of atherosclerotic plaques in unstable angina patients vary according to clinical presentation, **19**
Marangoni E *see* Arbustini E *et al*
Marber MS *see* Redwood SR *et al*
Marinato P *see* Baratella MC *et al*
Marrinan MT *see* Salas E *et al*
Marshall AJ *see* Nightingale AK *et al*
Marshall HJ *et al.* AAI pacing for sick sinus syndrome: first choice on all counts: *editorial*, **315**
Martí V *see* Bayés A *et al*
Martin JF *see* Salas E *et al*
Massironi L *see* Vergani D *et al*
Matsubara H *see* Nakayama K *et al*
Matsumori A *see* Sato Y *et al*
Matsumoto Y *see* Yoshitomi Y *et al*
Matthies W *see* Rickers C *et al*
Mayer B *see* Holmer SR *et al*
Meier B *see* Pfister M *et al*
Meisner C *see* Enderle M-D *et al*
Melua A *et al.* Aorto–atrial fistula without aneurysm formation in Behçet's disease, **200**
Meneveau N *et al.* Predictors of event-free survival after percutaneous mitral commissurotomy, **359**
Menezes AM, Shinebourne EA. Severe brain injury after cardiac surgery in children: consequences for the family and the need for assistance, **286**
Meyer H *see* Rickers C *et al*
Meyer J *see* Kupferwasser I *et al*
Michalsen A *et al.* Preventable causative factors leading to hospital admission with decompensated heart failure, **437**
Michel-Behnke I *see* Rickers C *et al*
Mikecz P *see* Al-Mohammad A *et al*
Mismetti P *see* Dacosta A *et al*
Mittleman MA *see* Gebara OCE *et al*
Miyoshi I *see* Takata J *et al*
Mohr-Kahaly S *see* Kupferwasser I *et al*
Monaghan MJ *see* Cheesman MG *et al*
Monaghan MJ *see* Cotton JM *et al*
Moncada S *see* Salas E *et al*
Montesello M *see* Baratella MC *et al*
Morbini P *see* Arbustini E *et al*
Morgan JM *see* Calver AL *et al*
Mori H *see* Nomura M *et al*
Morikawa M *et al.* Sustained left ventricular diastolic dysfunction after exercise in patients with dilated cardiomyopathy, **263**
Mortara A *see* Lombardi F and Mortara A
Mtinangi BL, Hainsworth R. Increased orthostatic tolerance following moderate exercise training in patients with unexplained syncope, **596**
Mulder BJM *see* Groenink M *et al*
Muller AM *see* Kupferwasser I *et al*
Muller JE *see* Gebara OCE *et al*
Munsch C *see* Pepper C *et al*
Mustafa MUA *et al.* Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**

Nada T *see* Nomura M *et al*
Naeem N *see* Rao ACR *et al*
Naeff MSJ *see* Groenink M *et al*
Nagai R *see* Hoshino J *et al*
Naganuma F *see* Hoshino J *et al*
Nakaya Y *see* Nomura M *et al*
Nakayama K *et al.* Dispersion of regional wall motion abnormality in patients with long QT syndrome, **245**
Naoumova RP *see* Rallidis L *et al*
Narula J *see* Arbustini E *et al*
Nathan AW *see* Sayer JW *et al*
Neil HAW *see* Volmink JA *et al*
Newby DE *et al.* Regulation of peripheral vascular tone in patients with heart failure: contribution of angiotensin II, **134**
Newell SA *see* Harcombe AA *et al*
Newman CMH *see* Malik N *et al*
Newton JN *see* Volmink JA *et al*
Newton L *see* Pathmanathan RK *et al*
Nicholls DP *see* Maguire SM *et al*
Nicholson AA *see* Chakraborty RN *et al*
Niebch V *see* Dobran IJ *et al*
Nightingale AK *et al.* Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
Nihoyannopoulos P *see* Rallidis L *et al*
Nihoyannopoulos P *see* Cheesman MG *et al*
Nilsson TK *see* Jansson J-H *et al*
Nishimoto K *see* Ino T *et al*
Nomura M *et al.* Brugada syndrome associated with an autonomic disorder, **194**
Norton MY *see* Al-Mohammad A *et al*
Nugent AG *see* Maguire SM *et al*

O'Brien JR *see* Elwood PC *et al*
Öcal B *see* Tutar HE *et al*
Ochi H *see* Yamagishi H *et al*
Oelert H *see* Kupferwasser I *et al*
Ohe T *see* Nakayama K *et al*
Ohnishi Y *see* Morikawa M *et al*
Okajima Y *et al.* A follow up study of myocardial involvement in patients with mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes (MELAS), **292**
O'Keeffe ST *et al.* Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients, **377**
Okubo M *see* Ino T *et al*
Olsson SB *see* Ingemansson MP *et al*
Oniki T. Arterial remodelling and eccentricity of plaque: *letter*, **633**
Ossen R *see* Enderle M-D *et al*
Osswald S *see* Hunziker P *et al*
Otsuka F *see* Nakayama K *et al*
Oxford Myocardial Infarction Incidence Study Group *see* Volmink JA *et al*

Parry G *see* Bourke JP *et al*
Parsons J *see* Veldtman G *et al*
Parsons JM *see* Skelton R *et al*
Parums D *see* Gorog DA *et al*
Patel DJ *see* Curzen NP *et al*
Patel JC *see* Al-Mohammad A *et al*
Pathmanathan RK *et al.* Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**
Patnana M *see* Rao PS *et al*
Paul T *see* Kaulitz R *et al*
Pennell DJ *et al.* Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
Pepper C *et al.* Unruptured aneurysm of the left sinus of Valsalva extending into the left ventricular outflow tract: presentation and imaging, **190**
Pepper JR *see* Koh TW *et al*
Peral V *see* Román JAS *et al*
Pereira WI *see* Mann JM *et al*
Perry A *see* Staniforth AD *et al*
Petch MC *see* Harcombe AA *et al*
Peters NS. Atrial fibrillation: towards an understanding of initiation, perpetuation, and specific treatment: *editorial*, **533**
Peters RJG *see* Chamuleau SAJ *et al*
Peters RJG *et al.* A calcified occlusion of the left main coronary artery in a young man , **298**
Pfister M *et al.* Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**
Pfisterer M *see* Hunziker P *et al*
Pfohl M *see* Enderle M-D *et al*
Pichlmaier AM *et al.* Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
Piek JJ *see* de Winter RJ *et al*
see van der Wal AC *et al*
Pijls NHJ, de Bruyne B. Coronary pressure measurement and fractional flow reserve: *review*, **539**
Pileggi F *see* Mann JM *et al*
Pintér A *see* Böhm A *et al*
Piot M *see* Dacosta A *et al*
Pollock J *see* Birnie D *et al*
Préda I *see* Böhm A *et al*
Prins MH *see* Chamuleau SAJ *et al*
Prvulovich E *see* Pennell DJ *et al*
Pye M *see* Pepper C *et al*

Rae AP *see* Adams JN *et al*
Rakhit R *see* Gorog DA *et al*
Rallidis L *et al.* Extent and severity of atherosclerotic involvement of the aortic valve and root in familial hypercholesterolaemia, **583**
Ramires JA *see* Mann JM *et al*
Rankin AC *see* McLeod KA *et al*
Rao ACR *et al.* Direct current cardioversion does not cause cardiac damage: evidence from cardiac troponin T estimation, **229**
Troponin T measurement after myocardial infarction can identify left ventricular ejection of less than 40%, **223**
Rao PS *et al.* Results of three to 10 year follow up of balloon dilatation of the pulmonary valve, **591**

Räsänen J *see* Laitinen PO and Räsänen J
Rawles J *et al.* Audit of prehospital thrombolysis by general practitioners in peripheral practices in Grampian, **231**
Rawles JM *see* Campbell NC *et al*
Ray KK *see* Lip GYH *et al*
Ray SG *see* Lee HS *et al*
Reddy TD *see* Dhillon R *et al*
Redington A *see* Dhillon R *et al*
Redwood SR *et al.* Myocardial hibernation and stunning: from physiological principles to clinical practice: *review*, **218**
Reinecke H *et al.* Left ventricular pseudoaneurysm in a patient with Dressler's syndrome after myocardial infarction, **98**
Renaud S *see* Elwood PC *et al*
Rey C *see* Godart F *et al*
Reynaud J *see* Dacosta A *et al*
Richens T *see* Houston A *et al*
Rickers C *et al.* Percutaneous closure of secundum atrial septal defect with a new self centring device ("angel wings"), **517**
Riegger GAJ *see* Holmer SR *et al*
Rigler B *see* Gamillscheg A *et al*
Ritchie L *see* Rawles J *et al*
Ritchie LD *see* Campbell NC *et al*
Ritter G. Nocturnal desaturation in patients with stable heart failure: *letter*, **633**
Roberts DH *see* Lee EM *et al*
Rollán MJ *see* Román JAS *et al*
Román JAS *et al.* Selection of the optimal stress test for the diagnosis of coronary artery disease, **370**
Rosenbaum DS *see* Armoundas AA *et al*
Rosenthal E, Anderson D. Inappropriate management of polycythaemia in adults with cyanotic congenital heart disease: *letter*, **532**
Rozendaal L *see* Groenink M *et al*
Rupitz M *see* Gamillscheg A *et al*
Rusk RA. Right sided intracardiac thrombus, **59**
Ruskin JN *see* Armoundas AA *et al*

Sacks FK *see* Gebara OCE *et al*
Saito H *see* Nakayama K *et al*
Saito K *see* Nomura M *et al*
Salas E *et al.* S-Nitrosoglutathione inhibits platelet activation and deposition in coronary artery saphenous vein grafts in vitro and in vivo, **146**
Saltissi S, Chambers J. Quality issues for echocardiography in the community, **S9 (Suppl 1)**
Šamánek M *see* Šulc J *et al*
Sapoznikov D *see* Sinnreich R *et al*
Sasayama S *see* Sato Y *et al*
Sato H *see* Morikawa M *et al*
see Morikawa M *et al*
Sato Y *et al.* Serum concentration of cardiac troponin T in patients with cardiomyopathy: a possible mechanism of acute heart failure: *letter*, **209**
Sayer JW *et al.* Subpectoral implantation of a cardioverter defibrillator under local anaesthesia: *letter*, **420**
Schaldach M *see* Pichlmaier AM *et al*
Schiele F *see* Meneveau N *et al*
Schmid F-X *see* Kampmann C *et al*
Schneider M *see* Thomsen AB *et al*
Schofield PM *see* Harcombe AA *et al*
Schotborgh CE *see* Peters RJG *et al*
Schranz D *see* Rickers C *et al*
Schräder R *see* Rickers C *et al*
Schroeder S *see* Enderle M-D *et al*
Schumacher M *see* Fruhwald FM *et al*
Schunkert H *see* Holmer SR *et al*
Schwarz ER *et al.* Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
Sebening W *see* Rickers C *et al*
Seghers LV *see* Longo-Mbenza B *et al*
Seiler C *see* Pfister M *et al*
Seronde M-F *see* Meneveau N *et al*
Shapiro LM *see* Harcombe AA *et al*
Sharma S *see* Jones S *et al*
Sharples L *see* Higenbottam T *et al*
Sharples LD *see* Harcombe AA *et al*
Shepherd L *see* Malik N *et al*
Shinebourne EA *see* Menezes AM and Shinebourne EA
Shinomiya H *see* Nomura M *et al*
Shiu MF *see* Lip GYH *et al*
Sideris DA *see* Dalekos GN *et al*
Sidi D *see* Acar P *et al*
Sievert H *see* Rickers C *et al*
Simitsidis S *see* Dacosta A *et al*
Simpson IA *see* Calver AL *et al*
Sinclair C *see* Rawles J *et al*
Sinnreich R *et al.* Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics, **156**
Sivananthan UM *see* Pepper C *et al*
Skehan JD *see* Pathmanathan RK *et al*
Skelton R *et al.* Reference ranges for cardiac dimensions and blood flow velocity in preterm infants, **281**
Slavik Z, Franklin R. Changes in pulmonary artery size before and after total cavopulmonary connection: *letter*, **208**
Sleight P. The master's legacy: the first Paul Wood Lecture: *commentary*, **612**
see Volmink JA *et al*
Somerville J, Sleight P. The master's legacy: the first Paul Wood lecture, **612**
Soukias ND *see* Li J *et al*
Squair JL *see* Campbell NC *et al*
Sreeram N *see* Henneveld H *et al*
Staniforth AD *et al.* "Value" of improved treadmill exercise capacity: lessons from a study of rate responsive pacing, **383**
Stauffer J-C *see* Eeckhout E *et al*
Stein JI *see* Gamillscheg A *et al*
Stenbøg EV *see* Thomsen AB *et al*
Stephens JD *see* Mustafa MUA *et al*
Stern H *see* Rickers C *et al*
Stewart S *see* McMurray JJV and Stewart S
Stöllberger C *see* Finsterer J and Stöllberger C
Stone DL *see* Harcombe AA *et al*
Strömberg A. Heart failure clinics: *editorial*, **426**
Stricker BHCh *see* Feenstra J *et al*
Struthers AD. Angiotensin II receptor antagonists for heart failure: *editorial*, **5**
Stumper O. Imaging the heart in adult congenital heart disease: *editorial*, **535**
Stumper O, Brawn WJ. Anatomic repair of double discordant hearts: *editorial*, **424**
Sugi T *see* Yoshitomi Y *et al*
Šulc J *et al.* Pulmonary function in children with atrial septal defect before and after heart surgery, **484**
Swan L *see* Birnie D *et al*
Swan L *see* Houston A *et al*
Sweetnam PM *see* Elwood PC *et al*

Taggart DP. Arterial or venous conduits for redo coronary artery bypass grafting?: *editorial*, **1**
Taguchi H *see* Takata J *et al*
Takagi M *see* Yamagishi H *et al*
Takata J *et al.* Cardiac valve invasion in chronic adult T cell leukaemia, **311**
Takatsu Y *see* Sato Y *et al*
Takayanagi M *see* Okajima Y *et al*
Takeuchi K *see* Yamagishi H *et al*
Tan HL, Wilde AAM. T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
Tanabe Y *see* Okajima Y *et al*
Tanaka A *see* Yamagishi H *et al*
Taniguchi R *see* Sato Y *et al*
Tardy B *see* Dacosta A *et al*
Tardy-Poncet B *see* Dacosta A *et al*
Teeling P *see* van der Wal AC *et al*
Thain J *see* Campbell NC *et al*
The United Kingdom Heart Attack Study (UKHAS) Collaborative Group. Effect of time from onset to coming under care on fatality of patients with acute myocardial infarction: effect of resuscitation and thrombolytic treatment, **114**
Thimme W *see* Michalsen A *et al*
Thompson GR *see* Rallidis L *et al*
Thomsen AB *et al.* Animal experimental implantation of an atrial septal defect occluder system, **606**
Timmis AD *see* Archbold RA and Timmis AD
Tofler GH *see* Gebara OCE *et al*
Togni M. Ruptured ventricular pseudoaneurysm, **97**
Tometzki A *see* Birnie D *et al*
Tomita H *et al.* Delayed appearance of coronary aneurysms in Kawasaki disease, **425**
Tonduangu K *see* Longo-Mbenza B *et al*
Townend JN *see* Vaile JC *et al*
Treasure T. False aneurysm of the left ventricle: *editorial*, **7**
Tseng YZ *see* Lai LP *et al*
Tsianos EV *see* Dalekos GN *et al*
Tunstall-Pedoe H. Perspectives on trends in mortality and case fatality from coronary heart attacks: the need for a better definition of acute myocardial infarction: *editorial*, **112**
Tutar HE *et al.* Dispersion of QT and QTc interval in healthy children, and effects of sinus arrhythmia on QT dispersion, **77**
Tweddel A *see* Pennell DJ *et al*

Uchida S *see* Nakayama K *et al*
Uebis R *see* Schwarz ER *et al*

Vaile JC *et al.* Angiotensin II modulates cardiovascular autonomic control in the absence of baroreflex loading, **127**
van den Branden F *see* van Langenhove G *et al*
van den Heuvel P *see* van Langenhove G *et al*
van der Loos CM *see* van der Wal AC *et al*
van der Sloot JAP *see* Peters RJG *et al*

van der Wal AC *et al.* Recent activation of the plaque immune response in coronary lesions underlying acute coronary syndromes, **14**
van der Wall EE *see* Groenink M *et al*
van Herpen G *see* Kors JA and van Herpen G
van Langenhove G *et al.* Main stem subocclusion shortly after aortic valve replacement, **530**
Veldtman G *et al.* Congenital right pulmonary artery to left atrial fistula, **162**
Vergani D *et al.* Carcinoid heart disease from ovarian primary presenting with acute pericarditis and biventricular failure, **623**
Vester EG *see* Dobran IJ *et al*
Viganò M *see* Arbustini E *et al*
Vilacosta I *see* Román JAS *et al*
Vita EK *see* Longo-Mbenza B *et al*
Vogt J *see* Rickers C *et al*
Vogt P *see* Eeckhout E *et al*
Volmink JA *et al.* Coronary event and case fatality rates in an English population: results of the Oxford myocardial infarction incidence study, **40**

Wallis W *see* Sayer JW *et al*
Walsh BW *see* Gebara OCE *et al*
Walsh KP *see* Lee EM *et al*
Walters MI *et al.* Interventricular septal expansion of a sinus of Valsalva aneurysm: a rare cause of complete heart block., **202**
Walton S *see* Al-Mohammad A *et al*
see Mahy IR and Walton S
Wang C-H *see* Hung M-J *et al*
Watson HG *see* Ahya R *et al*
Watzinger N *see* Fruhwald FM *et al*
Waugh N *see* Rawles J *et al*
Webb DJ *see* Newby DE *et al*
Webber J *see* Connaughton M and Webber J
Webb-Peploe KM *et al.* Echo derived variables predicting exercise tolerance in patients with dilated and poorly functioning left ventricle, **565**
Weil J *see* Rickers C *et al*
Welty FK *see* Gebara OCE *et al*
Westerbeck R *see* Higenbottam T *et al*
Westermeier T *see* Kupferwasser I *et al*
Weyand M *see* Reinecke H *et al*
Whipp BJ *see* Jones S *et al*
Wichter T *see* Reinecke H *et al*
Wilde AAM *see* Tan HL and Wilde AAM
Willenheimer RB *see* Cline CMJ *et al*
Williamson LM. Transfusion associated graft versus host disease and its prevention: *editorial*, **211**
Wilmshurst P. Cardiovascular problems in divers: *editorial*, **537**
Wilson AD *see* Rao PS *et al*
Wilson N *see* Birnie D *et al*
Wippermann C-F *see* Kampmann C *et al*
Wistow TE *see* Harcombe AA *et al*
Wojtarowicz A *see* Kazmierczak J *et al*
Wong CK *see* Freedman SB and Wong CK
Wright C *see* Curzen NP *et al*

Yabuta K *see* Ino T *et al*
Yamada T *see* Sato Y *et al*
Yamagishi H *et al.* Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
Yamanari H *see* Nakayama K *et al*
Yano M *see* Yoshitomi Y *et al*
Yen Ho S *see* Li J *et al*
Yoshikawa J *see* Yamagishi H *et al*
Yoshitomi Y *et al.* Antiplatelet treatment with cilostazol after stent implantation, **393**
Yukinaka M *see* Nomura M *et al*

Zapletal A *see* Šulc J *et al*
Zervou EK *see* Dalekos GN *et al*
Zobel G *see* Gamillscheg A *et al*

VOLUME 80 • SUBJECT INDEX

accelerated progression pattern, Histological patterns of atherosclerotic plaques in unstable angina patients vary according to clinical presentation, **19**
ACE inhibitors, Angiotensin II receptor antagonists for heart failure: *editorial,* 5
acid balance, Adrenaline dosage and buffers in cardiac arrest, **412**
activated protein C resistance, Activated protein C resistance and myocardial infarction: *editorial,* **319**
Raised factor VIII is associated with coronary thrombotic events, **415**
acute coronary syndromes, Recent activation of the plaque immune response in coronary lesions underlying acute coronary syndromes, **14**
acute myocardial infarction, Audit of prehospital thrombolysis by general practitioners in peripheral practices in Grampian, **231**
Coronary spasm in acute myocardial infarction, **197**
Effect of time from onset to coming under care on fatality of patients with acute myocardial infarction: effect of resuscitation and thrombolytic treatment, **114**
Low molecular weight heparin as an adjunct to thrombolysis for acute myocardial infarction: the FATIMA study, **35**
Perspectives on trends in mortality and case fatality from coronary heart attacks: the need for a better definition of acute myocardial infarction: *editorial,* **112**
Troponin T measurement after myocardial infarction can identify left ventricular ejection of less than 40%, **223**
Unruptured left ventricular pseudoaneurysm following myocardial infarction, **94**
acute pericarditis, Carcinoid heart disease from ovarian primary presenting with acute pericarditis and biventricular failure, **623**
adenosine, Adenosine induced transient cardiac standstill in catheter interventional procedures for congenital heart disease, **330**
adenoviruses, Gene therapy made difficult: *editorial,* **313**
adolescents, Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
adrenaline, Adrenaline dosage and buffers in cardiac arrest, **412**
adrenergic β receptor blocker, β Adrenergic blockers lower renin in patients treated with ACE inhibitors and diuretics, **45**
AIDS, Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
alcohol septal ablation, Electrocardiographic changes after alcohol septal ablation in hypertrophic obstructive cardiomyopathy, **257**
ambulatory electrocardiography, Triggers of daily life ischaemia, **489**
amiodarone, Antiarrhythmic drugs in resuscitation, **408**
Amplazter septal occluder, Transcatheter closure of a residual post-myocardial infarction ventricular septal defect with the Amplatzer septal occluder, **522**
anaesthesia, Subpectoral implantation of a cardioverter defibrillator under local anaesthesia: *letter,* **420**
aneurysm, Myocardial infarction caused by an aneurysm of the left main coronary artery without evidence of Kawasaki disease: *letter,* **532**
angina, Histological patterns of atherosclerotic plaques in unstable angina patients vary according to clinical presentation, **19**
Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**
angiography, Comparative study of chest pain characteristics in patients with normal and abnormal coronary angiograms: *letter,* **210**
Coronary arterial anatomy in tetralogy of Fallot: morphological and clinical correlations, **174**
Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**
angioplasty, Coronary flow reserve in the contralateral artery increases after successful coronary angioplasty in patients with spontaneously visible collateral vessels, **493**
Impact of stenting on coronary angioplasty procedures, **505**
Successful treatment of false aneurysm of a saphenous vein bypass graft with fistula to the anterior chest wall using "covered" intracoronary stents, **527**
angiotensin converting enzyme inhibitors, β Adrenergic blockers lower renin in patients treated with ACE inhibitors and diuretics, **45**
Troponin T measurement after myocardial infarction can identify left ventricular ejection of less than 40%, **223**
Quality issues for echocardiography in the community, **S9 (Suppl 1)**
angiotensin II, Angiotensin II modulates cardiovascular autonomic control in the absence of baroreflex loading, **127**
Angiotensin II receptor antagonists for heart failure: *editorial,* **5**
Regulation of peripheral vascular tone in patients with heart failure: contribution of angiotensin II, **134**
antiarrhythmic drugs, Antiarrhythmic drugs in resuscitation, **408**
anticoagulation, Heparin for coronary angioplasty: high dose, low dose, or no dose?: *editorial,* **3**
antiplatelet treatment, Antiplatelet treatment with cilostazol after stent implantation, **393**
aortic root growth, Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
aortic valve disease, Extent and severity of atherosclerotic involvement of the aortic valve and root in familial hypercholesterolaemia, **583**
Main stem subocclusion shortly after aortic valve replacement, **530**
aorto–atrial fistula, Aorto–atrial fistula without aneurysm formation in Behçet's disease, **200**
apical mural thrombus, Apical mural thrombus: technical pitfalls, **S6 (Suppl 1)**
apoptosis, Olovnikov's clock: telomeres and vascular biology: *editorial,* **110**
arrhythmias, Atrial fibrillation: towards an understanding of initiation, perpetuation, and specific treatment: *editorial,* **533**
Bifid T waves induced by isoprenaline in a patient with Brugada syndrome: *letter,* **633**
Intermittent complete atrioventricular block associated with typical atrioventricular nodal reentrant tachycardia, **418**
Late complications following permanent pacemaker implantation or elective unit replacement, **240**
Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**
Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
Predictors of loss of atrioventricular synchrony in single lead VDD pacing, **390**
Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival, **251**
Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**
arterial remodelling, Arterial remodelling and eccentricity of plaque: *letter,* **633**
aspirin, Intracoronary Multi-link stents: experience in 218 patients using aspirin alone, **499**
asystole, Adenosine induced transient cardiac standstill in catheter interventional procedures for congenital heart disease, **330**
atherosclerosis, Histological patterns of atherosclerotic plaques in unstable angina patients vary according to clinical presentation, **19**
Recent activation of the plaque immune response in coronary lesions underlying acute coronary syndromes, **14**
atherosclerotic plaque, Coronary atherosclerosis within a myocardial bridge, not a benign condition, **91**
atrial cycle length, Autonomic modulation of the atrial cycle length by the head up tilt test: non-invasive evaluation in patients with chronic atrial fibrillation, **71**
atrial fibrillation, Atrial fibrillation: towards an understanding of initiation, perpetuation, and specific treatment: *editorial,* **533**
Autonomic modulation of the atrial cycle length by the head up tilt test: non-invasive evaluation in patients with chronic atrial fibrillation, **71**
Cardiac troponin T does not increase after electrical cardioversion for atrial fibrillation or atrial flutter, **226**
Direct current cardioversion does not cause cardiac damage: evidence from cardiac troponin T estimation, **229**
T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
atrial flutter, Cardiac troponin T does not increase after electrical cardioversion for atrial fibrillation or atrial flutter, **226**
New electrocardiographic criteria for the differentiation between counterclockwise and clockwise atrial flutter: correlation with electrophysiological study and radiofrequency catheter ablation, **80**
atrial pacing, Single chamber atrial pacing: an underused and cost-effective pacing modality in sinus node disease, **387**
atrial septal defects, Animal experimental implantation of an atrial septal defect occluder system, **606**
Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
Pulmonary function in children with atrial septal defect before and after heart surgery, **484**
atrial trigeminy, Successful radiofrequency catheter ablation of atrial trigeminy in a young patient, **301**
atrioventricular block, Intermittent complete atrioventricular block associated with typical atrioventricular nodal reentrant tachycardia, **418**

atrioventricular conduction, 1:1 atrioventricular conduction in congenital complete heart block, **525**
atrioventricular discordance, Anatomic repair of double discordant hearts: *editorial,* **424**
atrioventricular nodal reentry tachycardia, Intermittent complete atrioventricular block associated with typical atrioventricular nodal reentrant tachycardia, **418**
atrioventricular plane displacement, Atrioventricular plane displacement during low dose dobutamine infusion predicts recovery of left ventricular dyssynergies: *letter,* **208**
atrioventricular synchrony, Predictors of loss of atrioventricular synchrony in single lead VDD pacing, **390**
automated ECG analysis, Measurement error as a source of QT dispersion: a computerised analysis, **453**
automatic external defibrillators, Approaches to modern management of cardiac arrest, **397**
Public access defibrillation: a review, **402**
automatic measurement, Computerised measurements of QT dispersion in healthy subjects, **459**
autonomic disorder, Brugada syndrome associated with an autonomic disorder, **194**
autonomic modulation, Heart rate variability and cardiac failure: *editorial,* **213**
autonomic nervous system, Angiotensin II modulates cardiovascular autonomic control in the absence of baroreflex loading, **127**
Autonomic modulation of the atrial cycle length by the head up tilt test: non-invasive evaluation in patients with chronic atrial fibrillation, **71**
AVID study, Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**

balloon dilatation, Adenosine induced transient cardiac standstill in catheter interventional procedures for congenital heart disease, **330**
balloon dilatation of the pulmonary valve, Results of three to 10 year follow up of balloon dilatation of the pulmonary valve, **591**
baroreceptors, Increased orthostatic tolerance following moderate exercise training in patients with unexplained syncope, **596**
Behçet's disease, Aorto–atrial fistula without aneurysm formation in Behçet's disease, **200**
bifid T waves, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome: *letter,* **633**
black Africans, Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
β blockers, Reversal of severe pulmonary hypertension with β blockade in a patient with end stage left ventricular failure, **620**
blood flow velocity, Reference ranges for cardiac dimensions and blood flow velocity in preterm infants, **281**
blood transfusion, Transfusion associated graft versus host disease in an immunocompetent individual following coronary artery bypass grafting, **299**
BMIPP SPECT, Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
brain damage, Severe brain injury after cardiac surgery in children: consequences for the family and the need for assistance, **286**
British Cardiac Society, Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
Brugada syndrome, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome: *letter,* **633**
Brugada syndrome associated with an autonomic disorder, **194**

C reactive protein, Can C reactive protein or troponins T and I predict outcome in patients with intractable unstable angina?, **23**
carcinoid heart disease, Carcinoid heart disease from ovarian primary presenting with acute pericarditis and biventricular failure, **623**
cardiac dimensions, Reference ranges for cardiac dimensions and blood flow velocity in preterm infants, **281**
cardiac failure, Heart rate variability and cardiac failure: *editorial,* **213**
cardiac surgery, Severe brain injury after cardiac surgery in children: consequences for the family and the need for assistance, **286**
CardioCollection, Essential collection: *editorial,* **107**
cardiomyopathy, A follow up study of myocardial involvement in patients with mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes (MELAS), **292**
Hypertrabeculated left ventricle in mitochondriopathy, **632**
Serum concentration of cardiac troponin T in patients with cardiomyopathy: a possible mechanism of acute heart failure: *letter,* **209**
cardiopulmonary development, Pulmonary function in children with atrial septal defect before and after heart surgery, **484**
CardioSEAL, Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
cardioversion, Cardiac troponin T does not increase after electrical cardioversion for atrial fibrillation or atrial flutter, **226**
Direct current cardioversion does not cause cardiac damage: evidence from cardiac troponin T estimation, **229**
case fatality rates, Coronary event and case fatality rates in an English population: results of the Oxford myocardial infarction incidence study, **40**
Perspectives on trends in mortality and case fatality from coronary heart attacks: the need for a better definition of acute myocardial infarction: *editorial,* **112**
catheter occlusion, Spring coil retraction in coil occlusion of persistent ductus arteriosus, **327**
catheter technique, Animal experimental implantation of an atrial septal defect occluder system, **606**
CD-ROM, Essential collection: *editorial,* **107**
chest pain, Comparative study of chest pain characteristics in patients with normal and abnormal coronary angiograms: *letter,* **210**
children, Dispersion of QT and QTc interval in healthy children, and effects of sinus arrhythmia on QT dispersion, **77**
Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
cholesterol lowering, Cholesterol lowering and coronary artery disease: mechanisms of risk reduction: *review,* **543**
chronic heart failure, Angiotensin II receptor antagonists for heart failure: *editorial,* **5**
Preventable causative factors leading to hospital admission with decompensated heart failure, **437**
Sustained left ventricular diastolic dysfunction after exercise in patients with dilated cardiomyopathy, **263**
cilostazol, Antiplatelet treatment with cilostazol after stent implantation, **393**
clinicopathological diagnosis, The falling mortality from coronary heart disease: a clinicopathological perspective, **121**
coagulation factors, Prevalence of factor V Leiden (APCR) and other inherited thrombophilias in young patients with myocardial infarction and normal coronary arteries, **338**
coarctation, Acquired coarctation of the aorta in William's syndrome, **205**
coil embolisation, Spring coil retraction in coil occlusion of persistent ductus arteriosus, **327**
coil occlusion, Transcatheter coil occlusion of residual interatrial communications after Fontan procedure, **49**
community, Quality issues for echocardiography in the community, **S9 (Suppl 1)**
complete heart block, 1:1 atrioventricular conduction in congenital complete heart block, **525**
Interventricular septal expansion of a sinus of Valsalva aneurysm: a rare cause of complete heart block., **202**
compliance, Heart failure clinics: *editorial,* **426**
congenital disorders, Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
congenital heart disease, 1:1 atrioventricular conduction in congenital complete heart block, **525**
Adenosine induced transient cardiac standstill in catheter interventional procedures for congenital heart disease, **330**
Anatomic repair of double discordant hearts: *editorial,* **424**
Animal experimental implantation of an atrial septal defect occluder system, **606**
Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
Changes in pulmonary artery size before and after total cavopulmonary connection: *letter,* **208**
Coronary arterial anatomy in tetralogy of Fallot: morphological and clinical correlations, **174**
Echocardiography in adult congenital heart disease, **S12 (Suppl 1)**
Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
Imaging the heart in adult congenital heart disease: *editorial,* **535**
Inappropriate management of polycythaemia in adults with cyanotic congenital heart disease: *letter,* **532**
Junctional ectopic tachycardia evolving into complete heart block, **627**
Measured versus predicted oxygen consumption in children with congenital heart disease, **601**
Outcomes of transposition of the great arteries in the era of atrial inflow correction, **170**
Transcatheter recanalisation and stenting of a closed ductus arteriosus in duct dependent lung perfusion, **206**
congenitally corrected transposition, Anatomic repair of double discordant hearts: *editorial,* **424**
Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
congenitally corrected transposition of the great arteries, Myocardial perfusion defects and associated systemic ventricular dysfunction in congenitally corrected transposition of the great arteries, **322**
congestive heart failure, Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**
Prevention of relapse in patients with congestive heart failure: the role of precipitating factors, **432**

contralateral coronary artery, Coronary flow reserve in the contralateral artery increases after successful coronary angioplasty in patients with spontaneously visible collateral vessels, **493**
coronary anomaly, Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
coronary artery bypass surgery, Arterial or venous conduits for redo coronary artery bypass grafting?: *editorial,* **1**
Intraoperative release of troponin T in coronary venous and arterial blood and its relation to recovery of left ventricular function and oxidative metabolism following coronary artery surgery, **341**
Long term results of reoperations for recurrent angina with internal mammary artery versus saphenous vein grafts, **9**
S-Nitrosoglutathione inhibits platelet activation and deposition in coronary artery saphenous vein grafts in vitro and in vivo, **146**
Successful treatment of false aneurysm of a saphenous vein bypass graft with fistula to the anterior chest wall using "covered" intracoronary stents, **527**
Transfusion associated graft versus host disease in an immunocompetent individual following coronary artery bypass grafting, **299**
Unruptured left ventricular pseudoaneurysm following myocardial infarction, **94**
coronary artery disease, Cholesterol lowering and coronary artery disease: mechanisms of risk reduction: *review,* **543**
Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease, **349**
Diabetes and coronary artery disease: time to stop taking the tablets?: *editorial,* **108**
Endoluminal vessel reconstruction by stent placement in patients with obstructive coronary artery disease who are poor surgical candidates, **355**
Main stem subocclusion shortly after aortic valve replacement, **530**
Selection of the optimal stress test for the diagnosis of coronary artery disease, **370**
coronary artery fistula, Coronary artery fistula, **419**
coronary artery spasm, Coronary artery spasm leading to life threatening arrhythmias, **89**
Coronary spasm in acute myocardial infarction, **197**
coronary flow reserve, Coronary flow reserve in the contralateral artery increases after successful coronary angioplasty in patients with spontaneously visible collateral vessels, **493**
coronary heart disease, Coronary event and case fatality rates in an English population: results of the Oxford myocardial infarction incidence study, **40**
Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care, **447**
The falling mortality from coronary heart disease: a clinicopathological perspective, **121**
coronary pressure measurement, Coronary pressure measurement and fractional flow reserve: *review,* **539**
coronary reoperation, Long term results of reoperations for recurrent angina with internal mammary artery versus saphenous vein grafts, **9**
coronary stenoses, Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**
coronary vessel anomalies, Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
cost effectiveness, Single chamber atrial pacing: an underused and cost-effective pacing modality in sinus node disease, **387**
creatine kinase, Direct current cardioversion does not cause cardiac damage: evidence from cardiac troponin T estimation, **229**
creatine kinase MB, In search of a reliable marker of tissue injury during heart surgery: *editorial,* **317**

decompensation, Preventable causative factors leading to hospital admission with decompensated heart failure, **437**
dehydroepiandrosterone sulphate, von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
diabetes mellitus, Diabetes and coronary artery disease: time to stop taking the tablets?: *editorial,* **108**
Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
diagnosis, Of bombers, radiologists, and cardiologists: time to ROC: *editorial,* **215**
diastolic dysfunction, Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
diastolic stunning, Sustained left ventricular diastolic dysfunction after exercise in patients with dilated cardiomyopathy, **263**
dipyridamole, Selection of the optimal stress test for the diagnosis of coronary artery disease, **370**
dispersion, Dispersion of regional wall motion abnormality in patients with long QT syndrome, **245**
dobutamine, Atrioventricular plane displacement during low dose dobutamine infusion predicts recovery of left ventricular dyssynergies: *letter,* **208**
Selection of the optimal stress test for the diagnosis of coronary artery disease, **370**
Doppler, Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
double discordance, Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
double switch procedures, Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
double umbrella device, Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
Dressler's syndrome, Left ventricular pseudoaneurysm in a patient with Dressler's syndrome after myocardial infarction, **98**
dyslipidaemia, Fibrinolytic potential is significantly increased by oestrogen treatment in postmenopausal women with mild dyslipidaemia, **235**

early automatic defibrillation, Determinants of successful defibrillation, **405**
ECG, Prognostic value of ECG findings for total, cardiovascular disease, and coronary heart disease death in men and women, **570**
echocardiography, Apical mural thrombus: technical pitfalls, **S6 (Suppl 1)**
Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
Atrioventricular plane displacement during low dose dobutamine infusion predicts recovery of left ventricular dyssynergies: *letter,* **208**
Central role of echocardiography in the diagnosis and assessment of heart failure, **S1 (Suppl 1)**
Dispersion of regional wall motion abnormality in patients with long QT syndrome, **245**
Echocardiography in adult congenital heart disease, **S12 (Suppl 1)**
Echo derived variables predicting exercise tolerance in patients with dilated and poorly functioning left ventricle, **565**
Extent and severity of atherosclerotic involvement of the aortic valve and root in familial hypercholesterolaemia, **583**
Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
Quality issues for echocardiography in the community, **S9 (Suppl 1)**
Reconsidering quality, **S27 (Suppl 1)**
economics, Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**
ectopic atrial tachycardia, Successful radiofrequency catheter ablation of atrial trigeminy in a young patient, **301**
elderly people, Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients, **377**
elective unit replacement, Late complications following permanent pacemaker implantation or elective unit replacement, **240**
electrical alternans, Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival, **251**
electrocardiography, Electrocardiographic changes after alcohol septal ablation in hypertrophic obstructive cardiomyopathy, **257**
New electrocardiographic criteria for the differentiation between counterclockwise and clockwise atrial flutter: correlation with electrophysiological study and radiofrequency catheter ablation, **80**
electronic publishing, Essential collection: *editorial,* **107**
electrophysiological testing, Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival, **251**
encephalomyopathy, Hypertrabeculated left ventricle in mitochondriopathy, **632**
endothelial dysfunction, Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease, **349**
endothelium, Abnormal vascular responses in human chronic cardiac failure are both endothelium dependent and endothelium independent, **141**
epidemiology, Perspectives on trends in mortality and case fatality from coronary heart attacks: the need for a better definition of acute myocardial infarction: *editorial,* **112**
The falling mortality from coronary heart disease: a clinicopathological perspective, **121**

event-free survival, Long term intravenous prostaglandin (epoprostenol or iloprost) for treatment of severe pulmonary hypertension, **151**
evidence-based medicine, AAI pacing for sick sinus syndrome: first choice on all counts: *editorial,* **315**
exercise, Cardiovascular problems in divers: *editorial,* **537**
Increased orthostatic tolerance following moderate exercise training in patients with unexplained syncope, **596**
Sustained left ventricular diastolic dysfunction after exercise in patients with dilated cardiomyopathy, **263**
exercise capacity, "Value" of improved treadmill exercise capacity: lessons from a study of rate responsive pacing, **383**
exercise tolerance, Cardiopulmonary responses to exercise in patients with hypertrophic cardiomyopathy, **60**
Echo derived variables predicting exercise tolerance in patients with dilated and poorly functioning left ventricle, **565**

factor V, Activated protein C resistance and myocardial infarction: *editorial,* **319**
factor V Leiden, Prevalence of factor V Leiden (APCR) and other inherited thrombophilias in young patients with myocardial infarction and normal coronary arteries, **338**
factor VIII, Raised factor VIII is associated with coronary thrombotic events, **415**
false aneurysm, False aneurysm of the left ventricle: *editorial,* **7**
Successful treatment of false aneurysm of a saphenous vein bypass graft with fistula to the anterior chest wall using "covered" intracoronary stents, **527**
familial hypercholesterolaemia, Extent and severity of atherosclerotic involvement of the aortic valve and root in familial hypercholesterolaemia, **583**
fatality, Effect of time from onset to coming under care on fatality of patients with acute myocardial infarction: effect of resuscitation and thrombolytic treatment, **114**
FATIMA study, Low molecular weight heparin as an adjunct to thrombolysis for acute myocardial infarction: the FATIMA study, **35**
fax machines, Fax machines for thrombolysis: *letter,* **210**
FDG PET, Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
fibrinolysis, Fibrinolytic potential is significantly increased by oestrogen treatment in postmenopausal women with mild dyslipidaemia, **235**
von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
flow associated dilatation, Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease, **349**
Fontan procedure, Transcatheter coil occlusion of residual interatrial communications after Fontan procedure, **49**
fractional flow reserve, Coronary pressure measurement and fractional flow reserve: *review,* **539**

gene therapy, Gene therapy made difficult: *editorial,* **313**
general practitioners, Audit of prehospital thrombolysis by general practitioners in peripheral practices in Grampian, **231**
genetics, Activated protein C resistance and myocardial infarction: *editorial,* **319**
graft versus host disease, Transfusion associated graft versus host disease and its prevention: *editorial,* **211**
Transfusion associated graft versus host disease in an immunocompetent individual following coronary artery bypass grafting, **299**
guidelines, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**

health care costs, Cost effective management programme for heart failure reduces hospitalisation, **442**
healthy subjects, Computerised measurements of QT dispersion in healthy subjects, **459**
heart block, Junctional ectopic tachycardia evolving into complete heart block, **627**
heart failure, Abnormal vascular responses in human chronic cardiac failure are both endothelium dependent and endothelium independent, **141**
Atrioventricular plane displacement during low dose dobutamine infusion predicts recovery of left ventricular dyssynergies: *letter,* **208**
Carcinoid heart disease from ovarian primary presenting with acute pericarditis and biventricular failure, **623**
Central role of echocardiography in the diagnosis and assessment of heart failure, **S1 (Suppl 1)**
Cost effective management programme for heart failure reduces hospitalisation, **442**
Echo derived variables predicting exercise tolerance in patients with dilated and poorly functioning left ventricle, **565**
Heart failure clinics: a possible means of improving care: *editorial,* **428**
Heart failure clinics: *editorial,* **426**
Nocturnal desaturation in patients with stable heart failure: *letter,* **633**
Nurse led, multidisciplinary intervention in chronic heart failure: *editorial,* **430**
Quality issues for echocardiography in the community, **S9 (Suppl 1)**
Regulation of peripheral vascular tone in patients with heart failure: contribution of angiotensin II, **134**
Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients, **377**
Reversal of severe pulmonary hypertension with β blockade in a patient with end stage left ventricular failure, **620**
Serum concentration of cardiac troponin T in patients with cardiomyopathy: a possible mechanism of acute heart failure: *letter,* **209**
heart rate, Autonomic modulation of the atrial cycle length by the head up tilt test: non-invasive evaluation in patients with chronic atrial fibrillation, **71**
Dispersion of QT and QTc interval in healthy children, and effects of sinus arrhythmia on QT dispersion, **77**
heart rate variability, Angiotensin II modulates cardiovascular autonomic control in the absence of baroreflex loading, **127**
Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics, **156**
Heart rate variability and cardiac failure: *editorial,* **213**
heart surgery, Pulmonary function in children with atrial septal defect before and after heart surgery, **484**
heart transplantation, Role of orthotopic heart transplantation in the management of patients with recurrent ventricular tachyarrhythmias following myocardial infarction, **473**
heparin, Heparin for coronary angioplasty: high dose, low dose, or no dose?: *editorial,* **3**
hepatitis C virus, Idiopathic dilated cardiomyopathy: lack of association with hepatitis C virus infection, **270**
hibernating myocardium, Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles, **559**
hibernation, Myocardial hibernation and stunning: from physiological principles to clinical practice: *review,* **218**
histology, Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
HIV infection, Assessment of ventricular diastolic function in AIDS patients from Congo: a Doppler echocardiographic study, **184**
Holter monitoring, Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**
hospital admission, Cost effective management programme for heart failure reduces hospitalisation, **442**
Preventable causative factors leading to hospital admission with decompensated heart failure, **437**
hyperlipidaemia, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
hypertension, β Adrenergic blockers lower renin in patients treated with ACE inhibitors and diuretics, **45**
Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
hypertrophic cardiomyopathy, Cardiopulmonary responses to exercise in patients with hypertrophic cardiomyopathy, **60**
Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**
hypertrophic obstructive cardiomyopathy, Electrocardiographic changes after alcohol septal ablation in hypertrophic obstructive cardiomyopathy, **257**

idiopathic dilated cardiomyopathy, Idiopathic dilated cardiomyopathy: lack of association with hepatitis C virus infection, **270**
iloprost, Long term intravenous prostaglandin (epoprostenol or iloprost) for treatment of severe pulmonary hypertension, **151**
Images in cardiology, A calcified occlusion of the left main coronary artery in a young man, **298**
Coronary artery fistula
Congenital right pulmonary artery to left atrial fistula, **162**
Delayed appearance of coronary aneurysms in Kawasaki disease, **425**
Dual atrial pathology as an incidental finding on thoracic computed tomography and echocardiography, **508**
Fibrosarcoma of the heart, **369**
Idiopathic chylopericardium, **376**
Pacemaker induced torsades de pointes tachycardia, **466**
"Steam iron" appearance of chronic thoracic aortic dissection on angiography, **590**
Right sided intracardiac thrombus, **59**
Ruptured ventricular pseudoaneurysm, **97**
Unruptured right sinus of Valsalva aneurysm, **140**
Vanishing tumour, **611**
imaging, Imaging the heart in adult congenital heart disease: *editorial,* **535**
I-MIBG myocardial scintigraphy, Brugada syndrome associated with an autonomic disorder, **194**

immunohistochemistry, Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
implantable cardioverter defibrillator, Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**
Subpectoral implantation of a cardioverter defibrillator under local anaesthesia: *letter,* **420**
incidence, Coronary event and case fatality rates in an English population: results of the Oxford myocardial infarction incidence study, **40**
infective endocarditis, Clinical and morphological characteristics in *Streptococcus bovis* endocarditis: a comparison with other causative microorganisms in 177 cases, **276**
inherited thrombophilia, Prevalence of factor V Leiden (APCR) and other inherited thrombophilias in young patients with myocardial infarction and normal coronary arteries, **338**
interleukins, Recent activation of the plaque immune response in coronary lesions underlying acute coronary syndromes, **14**
internal mammary artery, Arterial or venous conduits for redo coronary artery bypass grafting?: *editorial,* **1**
Long term results of reoperations for recurrent angina with internal mammary artery versus saphenous vein grafts, **9**
interventional cardiology, Coronary pressure measurement and fractional flow reserve: *review,* **539**
Heparin for coronary angioplasty: high dose, low dose, or no dose?: *editorial,* **3**
Impact of stenting on coronary angioplasty procedures, **505**
Percutaneous closure of secundum atrial septal defect with a new self centring device ("angel wings"), **517**
Transcatheter recanalisation and stenting of a closed ductus arteriosus in duct dependent lung perfusion, **206**
interventricular septal expansion, Interventricular septal expansion of a sinus of Valsalva aneurysm: a rare cause of complete heart block., **202**
intimal media thickness, Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease, **349**
intracoronary Multi-link stents, Intracoronary Multi-link stents: experience in 218 patients using aspirin alone, **499**
intraoperative assessment, Intraoperative release of troponin T in coronary venous and arterial blood and its relation to recovery of left ventricular function and oxidative metabolism following coronary artery surgery, **341**
intravascular ultrasound, Coronary atherosclerosis within a myocardial bridge, not a benign condition, **91**
Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
ischaemic heart disease, Impact of stenting on coronary angioplasty procedures, **505**
Platelet aggregation and incident ischaemic heart disease in the Caerphilly cohort, **578**
S-Nitrosoglutathione inhibits platelet activation and deposition in coronary artery saphenous vein grafts in vitro and in vivo, **146**
isosorbide dinitrate, Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**

junctional ectopic tachycardia, Junctional ectopic tachycardia evolving into complete heart block, **627**

KATP channel, Diabetes and coronary artery disease: time to stop taking the tablets?: *editorial,* **108**
Kawasaki disease, Myocardial infarction caused by an aneurysm of the left main coronary artery without evidence of Kawasaki disease: *letter,* **532**

late complications, Late complications following permanent pacemaker implantation or elective unit replacement, **240**
left ventricular function, Echo derived variables predicting exercise tolerance in patients with dilated and poorly functioning left ventricle, **565**
Troponin T measurement after myocardial infarction can identify left ventricular ejection of less than 40%, **223**
left ventricular impairment, Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles, **559**
life threatening arrhythmias, Coronary artery spasm leading to life threatening arrhythmias, **89**
lignocaine, Antiarrhythmic drugs in resuscitation, **408**
long QT syndrome, Dispersion of regional wall motion abnormality in patients with long QT syndrome, **245**
T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
low molecular weight heparin, Low molecular weight heparin as an adjunct to thrombolysis for acute myocardial infarction: the FATIMA study, **35**

magnetic resonance imaging, Imaging the heart in adult congenital heart disease: *editorial,* **535**
Magnetic resonance images of left ventricular pseudoaneurysm, **101**
management, Cost effective management programme for heart failure reduces hospitalisation, **442**
Marfan syndrome, Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications, **163**
MAVERIC trial, Potential impact of antiarrhythmic drugs versus implantable defibrillators on the management of ventricular arrhythmias: the Midlands trial of empirical amiodarone versus electrophysiologically guided intervention and cardioverter implant registry data, **68**
measurement error, Measurement error as a source of QT dispersion: a computerised analysis, **453**
MELAS, A follow up study of myocardial involvement in patients with mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes (MELAS), **292**
Minnesota code, Prognostic value of ECG findings for total, cardiovascular disease, and coronary heart disease death in men and women, **570**
mitochondrial DNA, Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**
mitral flow velocity, Sustained left ventricular diastolic dysfunction after exercise in patients with dilated cardiomyopathy, **263**
mitral valve stenosis, Predictors of event-free survival after percutaneous mitral commissurotomy, **359**
monophasic action potential, Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
mortality, Prognostic value of ECG findings for total, cardiovascular disease, and coronary heart disease death in men and women, **570**
The falling mortality from coronary heart disease: a clinicopathological perspective, **121**
Mustard operation, Outcomes of transposition of the great arteries in the era of atrial inflow correction, **170**
myocardial bridging, Coronary atherosclerosis within a myocardial bridge, not a benign condition, **91**
Coronary stenting for symptomatic myocardial bridging, **102**
myocardial infarction, Activated protein C resistance and myocardial infarction: *editorial,* **319**
Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
Coronary event and case fatality rates in an English population: results of the Oxford myocardial infarction incidence study, **40**
Left ventricular pseudoaneurysm in a patient with Dressler's syndrome after myocardial infarction, **98**
Prevalence of factor V Leiden (APCR) and other inherited thrombophilias in young patients with myocardial infarction and normal coronary arteries, **338**
Raised factor VIII is associated with coronary thrombotic events, **415**
Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
Role of orthotopic heart transplantation in the management of patients with recurrent ventricular tachyarrhythmias following myocardial infarction, **473**
von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
myocardial injury, In search of a reliable marker of tissue injury during heart surgery: *editorial,* **317**
Intraoperative release of troponin T in coronary venous and arterial blood and its relation to recovery of left ventricular function and oxidative metabolism following coronary artery surgery, **341**
myocardial perfusion, Myocardial perfusion defects and associated systemic ventricular dysfunction in congenitally corrected transposition of the great arteries, **322**
myocardial perfusion imaging, Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
β myosin heavy chain, Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**

neural networks, Measured versus predicted oxygen consumption in children with congenital heart disease, **601**
neurohumoral activation, Heart rate variability and cardiac failure: *editorial,* **213**
neuromuscular disorders, Hypertrabeculated left ventricle in mitochondriopathy, **632**
nitrates, Abnormal vascular responses in human chronic cardiac failure are both endothelium dependent and endothelium independent, **141**
nitroglycerin, Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**
nocturnal desaturation, Nocturnal desaturation in patients with stable heart failure: *letter,* **633**

non-compaction, Hypertrabeculated left ventricle in mitochondriopathy, **632**
non-invasive imaging, Unruptured aneurysm of the left sinus of Valsalva extending into the left ventricular outflow tract: presentation and imaging, **190**
nuclear cardiology, Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
nurse led clinics, Cost effective management programme for heart failure reduces hospitalisation, **442**
Heart failure clinics: a possible means of improving care: *editorial,* **428**
Nurse led, multidisciplinary intervention in chronic heart failure: *editorial,* **430**
Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care, **447**

occluder device, Animal experimental implantation of an atrial septal defect occluder system, **606**
oestrogen, Fibrinolytic potential is significantly increased by oestrogen treatment in postmenopausal women with mild dyslipidaemia, **235**
open access echocardiography, Quality issues for echocardiography in the community, **S9 (Suppl 1)**
orthostasis, Increased orthostatic tolerance following moderate exercise training in patients with unexplained syncope, **596**
outpatient clinics, Heart failure clinics: *editorial,* **426**
ovarian tumour, Carcinoid heart disease from ovarian primary presenting with acute pericarditis and biventricular failure, **623**
oxidative phosphorylation, Coexistence of mitochondrial DNA and β myosin heavy chain mutations in hypertrophic cardiomyopathy with late congestive heart failure, **548**
oxygen consumption, Measured versus predicted oxygen consumption in children with congenital heart disease, **601**
oxygen pulse, Cardiopulmonary responses to exercise in patients with hypertrophic cardiomyopathy, **60**

pacemaker upgrade, Ventricular pacemaker upgrade: experience, complications, and recommendations: *letter,* **420**
pacing, AAI pacing for sick sinus syndrome: first choice on all counts: *editorial,* **315**
Ventricular pacemaker upgrade: experience, complications, and recommendations: *letter,* **420**
paediatric cardiology, Changes in pulmonary artery size before and after total cavopulmonary connection: *letter,* **208**
Coronary arterial anatomy in tetralogy of Fallot: morphological and clinical correlations, **174**
Coronary artery fistula, **419**
Junctional ectopic tachycardia evolving into complete heart block, **627**
Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
Transcatheter recanalisation and stenting of a closed ductus arteriosus in duct dependent lung perfusion, **206**
parasympathetic activity, Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics, **156**
parasympathetic nervous system, Angiotensin II modulates cardiovascular autonomic control in the absence of baroreflex loading, **127**
parental support, Severe brain injury after cardiac surgery in children: consequences for the family and the need for assistance, **286**
patent arterial duct, Transcatheter recanalisation and stenting of a closed ductus arteriosus in duct dependent lung perfusion, **206**
Paul Wood lecture, The master's legacy: the first Paul Wood lecture, **612**
peripheral vascular tone, Regulation of peripheral vascular tone in patients with heart failure: contribution of angiotensin II, **134**
permanent pacemaker, Late complications following permanent pacemaker implantation or elective unit replacement, **240**
persistent ductus arteriosus, Spring coil retraction in coil occlusion of persistent ductus arteriosus, **327**
persistent foramen ovale, Percutaneous closure of secundum atrial septal defect with a new self centring device ("angel wings"), **517**
physiology, Cardiovascular problems in divers: *editorial,* **537**
plaque, Arterial remodelling and eccentricity of plaque: *letter,* **633**
plasminogen activator inhibitor, von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
platelet activation, S-Nitrosoglutathione inhibits platelet activation and deposition in coronary artery saphenous vein grafts in vitro and in vivo, **146**
platelet aggregation, Platelet aggregation and incident ischaemic heart disease in the Caerphilly cohort, **578**
polycythaemia, Inappropriate management of polycythaemia in adults with cyanotic congenital heart disease: *letter,* **532**
polymerase chain reaction, Idiopathic dilated cardiomyopathy: lack of association with hepatitis C virus infection, **270**
positron emission tomography, Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles, **559**
postoperative atrial fibrillation, Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
postoperative management, Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
precipitating factors, Prevention of relapse in patients with congestive heart failure: the role of precipitating factors, **432**
prediction, Platelet aggregation and incident ischaemic heart disease in the Caerphilly cohort, **578**
pregnancy, Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
prehospital care, Audit of prehospital thrombolysis by general practitioners in peripheral practices in Grampian, **231**
preterm infant, Reference ranges for cardiac dimensions and blood flow velocity in preterm infants, **281**
prevention, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
Prevention of relapse in patients with congestive heart failure: the role of precipitating factors, **432**
primary prevention, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
prinzmetal's angina, Coronary spasm in acute myocardial infarction, **197**
prognosis, Arterial or venous conduits for redo coronary artery bypass grafting?: *editorial,* **1**
prophylactic antiarrhythmic treatment, Prediction of the onset of atrial fibrillation after cardiac surgery using the monophasic action potential, **467**
prostacyclin, Long term intravenous prostaglandin (epoprostenol or iloprost) for treatment of severe pulmonary hypertension, **151**
pseudoaneurysm, False aneurysm of the left ventricle: *editorial,* **7**
Left ventricular pseudoaneurysm in a patient with Dressler's syndrome after myocardial infarction, **98**
Magnetic resonance images of left ventricular pseudoaneurysm, **101**
Unruptured left ventricular pseudoaneurysm following myocardial infarction, **94**
PTCA, Heparin for coronary angioplasty: high dose, low dose, or no dose?: *editorial,* **3**
pulmonary artery, Anomalous origin of the left coronary artery from the pulmonary artery: natural history and normal pregnancies, **629**
pulmonary function, Pulmonary function in children with atrial septal defect before and after heart surgery, **484**
pulmonary hypertension, Long term intravenous prostaglandin (epoprostenol or iloprost) for treatment of severe pulmonary hypertension, **151**
Reversal of severe pulmonary hypertension with β blockade in a patient with end stage left ventricular failure, **620**
pulmonary regurgitation, Results of three to 10 year follow up of balloon dilatation of the pulmonary valve, **591**
pulmonary stenosis, Results of three to 10 year follow up of balloon dilatation of the pulmonary valve, **591**

QT dispersion, Computerised measurements of QT dispersion in healthy subjects, **459**
Dispersion of QT and QTc interval in healthy children, and effects of sinus arrhythmia on QT dispersion, **77**
Measurement error as a source of QT dispersion: a computerised analysis, **453**
Measurement of QT dispersion: *editorial,* **421**
QT interval, Electrocardiographic changes after alcohol septal ablation in hypertrophic obstructive cardiomyopathy, **257**
QT measurement, Measurement error as a source of QT dispersion: a computerised analysis, **453**
quality of life, "Value" of improved treadmill exercise capacity: lessons from a study of rate responsive pacing, **383**
Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients, **377**

radiofrequency catheter ablation, New electrocardiographic criteria for the differentiation between counterclockwise and clockwise atrial flutter: correlation with electrophysiological study and radiofrequency catheter ablation, **80**
Successful radiofrequency catheter ablation of atrial trigeminy in a young patient, **301**
radionuclide ventriculography, Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
randomised controlled trial, Fibrinolytic potential is significantly increased by oestrogen treatment in postmenopausal women with mild dyslipidaemia, **235**
Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care, **447**
rate responsive pacing, "Value" of improved treadmill exercise capacity: lessons from a study of rate responsive pacing, **383**
receiver operator characteristic curves, Of bombers, radiologists, and cardiologists: time to ROC: *editorial,* **215**
recurrent angina, Long term results of reoperations for recurrent angina with internal mammary artery versus saphenous vein grafts, **9**

redistribution, Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
regional wall motion, Dispersion of regional wall motion abnormality in patients with long QT syndrome, **245**
reliability, Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics, **156**
renin, β Adrenergic blockers lower renin in patients treated with ACE inhibitors and diuretics, **45**
reproducibility, Computerised measurements of QT dispersion in healthy subjects, **459**
residual interatrial communication, Transcatheter coil occlusion of residual interatrial communications after Fontan procedure, **49**
resin, Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
restenosis, Endoluminal vessel reconstruction by stent placement in patients with obstructive coronary artery disease who are poor surgical candidates, **355**
resuscitation, Approaches to modern management of cardiac arrest, **397**
Effect of time from onset to coming under care on fatality of patients with acute myocardial infarction: effect of resuscitation and thrombolytic treatment, **114**
revascularisation, Impact of stenting on coronary angioplasty procedures, **505**
Myocardial hibernation and stunning: from physiological principles to clinical practice: *review,* **218**
risk assessment, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
risk factors, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
Prognostic value of ECG findings for total, cardiovascular disease, and coronary heart disease death in men and women, **570**
von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
risk reduction, Cholesterol lowering and coronary artery disease: mechanisms of risk reduction: *review,* **543**

scintigraphy, Selection of the optimal stress test for the diagnosis of coronary artery disease, **370**
screening, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
scuba diving, Cardiovascular problems in divers: *editorial,* **537**
secondary prevention, Joint British recommendations on prevention of coronary heart disease in clinical practice, **S1 (Suppl 2)**
Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care, **447**
secundum atrial septal defect, Percutaneous closure of secundum atrial septal defect with a new self centring device ("angel wings"), **517**
Senning operation, Outcomes of transposition of the great arteries in the era of atrial inflow correction, **170**
serotonin, Abnormal vascular responses in human chronic cardiac failure are both endothelium dependent and endothelium independent, **141**
sestamibi scanning, Myocardial perfusion defects and associated systemic ventricular dysfunction in congenitally corrected transposition of the great arteries, **322**
sex differences, Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics, **156**
sick sinus syndrome, AAI pacing for sick sinus syndrome: first choice on all counts: *editorial,* **315**
signal averaged electrocardiography, Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival, **251**
silent ischaemia, Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**
Triggers of daily life ischaemia, **489**
single coronary ostium, Myocardial ischaemia in a case of a solitary coronary ostium in the right aortic sinus with retroaortic course of the left coronary artery: documentation of the underlying pathophysiological mechanisms of ischaemia by intracoronary Doppler and pressure measurements, **307**
sinus arrhythmia, Dispersion of QT and QTc interval in healthy children, and effects of sinus arrhythmia on QT dispersion, **77**
sinus node disease, Single chamber atrial pacing: an underused and cost-effective pacing modality in sinus node disease, **387**
sinus of Valsalva aneurysm, Interventricular septal expansion of a sinus of Valsalva aneurysm: a rare cause of complete heart block., **202**
Unruptured aneurysm of the left sinus of Valsalva extending into the left ventricular outflow tract: presentation and imaging, **190**
Ventricular fibrillation triggered by a ruptured sinus of Valsalva aneurysm, **203**
six minute walk, Reproducibility and responsiveness of quality of life assessment and six minute walk test in elderly heart failure patients, **377**
S-nitrosoglutathione, S-Nitrosoglutathione inhibits platelet activation and deposition in coronary artery saphenous vein grafts in vitro and in vivo, **146**
sotalol, T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
Stamps in cardiology, Blood transfusion, **423**
Congresses, **217**
Digitalis and strophanthus—cardiac glycosides, **4**
Heart foundations on stamps (1), **564**
Heparin, **120**
Stethoscopes, **318**
stent occlusion, Intracoronary Multi-link stents: experience in 218 patients using aspirin alone, **499**
stent thrombosis, Antiplatelet treatment with cilostazol after stent implantation, **393**
stents, Antiplatelet treatment with cilostazol after stent implantation, **393**
Coronary stenting for symptomatic myocardial bridging, **102**
Endoluminal vessel reconstruction by stent placement in patients with obstructive coronary artery disease who are poor surgical candidates, **355**
Impact of stenting on coronary angioplasty procedures, **505**
Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
Successful treatment of false aneurysm of a saphenous vein bypass graft with fistula to the anterior chest wall using "covered" intracoronary stents, **527**
Streptococcus bovis, Clinical and morphological characteristics in *Streptococcus bovis* endocarditis: a comparison with other causative microorganisms in 177 cases, **276**
stunning, Myocardial hibernation and stunning: from physiological principles to clinical practice: *review,* **218**
sudden death, Adrenaline dosage and buffers in cardiac arrest, **412**
Antiarrhythmic drugs in resuscitation, **408**
Approaches to modern management of cardiac arrest, **397**
Determinants of successful defibrillation, **405**
Public access defibrillation: a review, **402**
sulphonylureas, Diabetes and coronary artery disease: time to stop taking the tablets?: *editorial,* **108**
surgery, In search of a reliable marker of tissue injury during heart surgery: *editorial,* **317**
survey, Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets, **296**
sympathetic nervous system, Regulation of peripheral vascular tone in patients with heart failure: contribution of angiotensin II, **134**
syncope, Increased orthostatic tolerance following moderate exercise training in patients with unexplained syncope, **596**
syndrome X, Coronary spasm in acute myocardial infarction, **197**

T lymphocytes, Recent activation of the plaque immune response in coronary lesions underlying acute coronary syndromes, **14**
T wave alternans, T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
telomeres, Olovnikov's clock: telomeres and vascular biology: *editorial,* **110**
tetralogy of Fallot, Coronary arterial anatomy in tetralogy of Fallot: morphological and clinical correlations, **174**
thallium-201 SPECT, Relation between the kinetics of thallium-201 in myocardial scintigraphy and myocardial metabolism in patients with acute myocardial infarction, **28**
thrombolysis, Audit of prehospital thrombolysis by general practitioners in peripheral practices in Grampian, **231**
Effect of time from onset to coming under care on fatality of patients with acute myocardial infarction: effect of resuscitation and thrombolytic treatment, **114**
Fax machines for thrombolysis: *letter,* **210**
Low molecular weight heparin as an adjunct to thrombolysis for acute myocardial infarction: the FATIMA study, **35**
thrombosis, Raised factor VIII is associated with coronary thrombotic events, **415**
tissue plasminogen activator, von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**
torsades de pointes, T wave alternans after sotalol: evidence for increased sensitivity to sotalol after conversion from atrial fibrillation to sinus rhythm, **303**
total cavopulmonary connection, Changes in pulmonary artery size before and after total cavopulmonary connection: *letter,* **208**
transcatheter closure, Extending the limits of transcatheter closure of atrial septal defects with the double umbrella device (CardioSEAL), **54**
Transcatheter closure of a residual postmyocardial infarction ventricular septal defect with the Amplatzer septal occluder, **522**
transcatheter occlusion, Percutaneous closure of secundum atrial septal defect with a new self centring device ("angel wings"), **517**
transfusion, Transfusion associated graft versus host disease and its prevention: *editorial,* **211**

transmission electron microscopy, Intravascular stents: a new technique for tissue processing for histology, immunohistochemistry, and transmission electron microscopy, **509**
transoesophageal echocardiography, Clinical and morphological characteristics in *Streptococcus bovis* endocarditis: a comparison with other causative microorganisms in 177 cases, **276**
Unruptured aneurysm of the left sinus of Valsalva extending into the left ventricular outflow tract: presentation and imaging, **190**
transplantation, Reversal of severe pulmonary hypertension with β blockade in a patient with end stage left ventricular failure, **620**
transposition of the great arteries, Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
Outcomes of transposition of the great arteries in the era of atrial inflow correction, **170**
transthoracic impedance, Determinants of successful defibrillation, **405**
tricuspid valve, Maintaining tricuspid valve competence in double discordance: a challenge for the paediatric cardiologist, **479**
troponin, In search of a reliable marker of tissue injury during heart surgery: *editorial,* **317**
troponin I, Can C reactive protein or troponins T and I predict outcome in patients with intractable unstable angina?, **23**
troponin T, Can C reactive protein or troponins T and I predict outcome in patients with intractable unstable angina?, **23**
Cardiac troponin T does not increase after electrical cardioversion for atrial fibrillation or atrial flutter, **226**
Direct current cardioversion does not cause cardiac damage: evidence from cardiac troponin T estimation, **229**
Intraoperative release of troponin T in coronary venous and arterial blood and its relation to recovery of left ventricular function and oxidative metabolism following coronary artery surgery, **341**
Serum concentration of cardiac troponin T in patients with cardiomyopathy: a possible mechanism of acute heart failure: *letter,* **209**
Troponin T measurement after myocardial infarction can identify left ventricular ejection of less than 40%, **223**

ultrasound, Imaging the heart in adult congenital heart disease: *editorial,* **535**
unstable angina, Can C reactive protein or troponins T and I predict outcome in patients with intractable unstable angina?, **23**
Histological patterns of atherosclerotic plaques in unstable angina patients vary according to clinical presentation, **19**

valvar disease, Cardiac valve invasion in chronic adult T cell leukaemia, **311**
Clinical and morphological characteristics in *Streptococcus bovis* endocarditis: a comparison with other causative microorganisms in 177 cases, **276**
Main stem subocclusion shortly after aortic valve replacement, **530**
valvoplasty, Predictors of event-free survival after percutaneous mitral commissurotomy, **359**
vascular biology, Acquired coarctation of the aorta in William's syndrome, **205**
Olovnikov's clock: telomeres and vascular biology: *editorial,* **110**
vasodilatation, Nitrate induced coronary vasodilatation: differential effects of sublingual application by capsule or spray, **365**
VDD pacing, Predictors of loss of atrioventricular synchrony in single lead VDD pacing, **390**
ventricular arrhythmias, Role of orthotopic heart transplantation in the management of patients with recurrent ventricular tachyarrhythmias following myocardial infarction, **473**
ventricular dysfunction, Myocardial perfusion defects and associated systemic ventricular dysfunction in congenitally corrected transposition of the great arteries, **322**
ventricular fibrillation, Approaches to modern management of cardiac arrest, **397**
Spontaneously terminating ventricular fibrillation and asystole induced by silent ischaemia causing recurrent syncope, **86**
Ventricular fibrillation triggered by a ruptured sinus of Valsalva aneurysm, **203**
ventricular septal defect, Transcatheter closure of a residual postmyocardial infarction ventricular septal defect with the Amplatzer septal occluder, **522**
Ventricular fibrillation triggered by a ruptured sinus of Valsalva aneurysm, **203**
von Willebrand factor, von Willebrand factor, tissue plasminogen activator, and dehydroepiandrosterone sulphate predict cardiovascular death in a 10 year follow up of survivors of acute myocardial infarction, **334**

William's syndrome, Acquired coarctation of the aorta in William's syndrome, **205**
Wolff-Parkinson-White syndrome, 1:1 atrioventricular conduction in congenital complete heart block, **525**
work efficiency, Cardiopulmonary responses to exercise in patients with hypertrophic cardiomyopathy, **60**